Google

| deployment descriptor EAR JAR validating | Search | Advanced Search |
| | | Preferences |

New! View and manage your web history

Web   Results **1 - 10** of about **60,800** for <u>deployment **descriptor** **EAR** **JAR** validating</u>. (**0.12** seconds)

appc Reference
prompt>java weblogic.appc [options] <**ear**, **jar**, or war file or directory> ... J2EE allows you
to designate an alternative J2EE **deployment descriptor** for an ...
e-docs.bea.com/wls/docs92/ejb/appc_ejbc.html - 43k - <u>Cached</u> - <u>Similar pages</u>

appc and ejbc Reference
prompt>java weblogic.appc [options] <**ear**, **jar**, or war file or directory> .... Although versions
of the WebLogic-specific XML **deployment descriptor** files are ...
e-docs.bea.com/wls/docs81/ejb/appc_ejbc.html - 46k - <u>Cached</u> - <u>Similar pages</u>
[<u>More results from e-docs.bea.com</u>]

Common **validation** errors and solutions
Define a **descriptor** on the Beans tab of the **Deployment Descriptor** Editor. ... is a project
utility **JAR** in every **EAR** that uses this EJB project as a module. ...
publib.boulder.ibm.com/infocenter/rtnlhelp/
v6r0m0/topic/com.ibm.etools.j2eeapp.doc/topics/rvalerr.html - 13k - <u>Cached</u> - <u>Similar pages</u>

Deployment Descriptor Editor
application-client.xml. /META-INF. **EAR**. application.xml. EJB **JAR** ... **Validating** a
deployment descriptor The **Deployment Descriptor** Editor automatically ...
www.novell.com/documentation/extend52/
Docs/help/Director/books/utoolsDeployDescEditor.html - 16k - <u>Cached</u> - <u>Similar pages</u>

2 Understanding Orion CMP Application Development
Employ the EJB Verifier to **validate** ejb-**jar**.xml **deployment descriptor** against DTD and
to .... Archive all elements of the application into an **EAR** file. ...
download-uk.oracle.com/docs/cd/B32110_01/web.1013/b28220/undejdev.htm - 30k -
<u>Cached</u> - <u>Similar pages</u>

Common **validation** errors and solutions
Ensure that the **deployment descriptor** is valid. ... is open, and is a project utility **JAR** in
every **EAR** that uses this EJB project as a module. ...
help.eclipse.org/help32/topic/org.eclipse.jst.j2ee.doc.user/topics/rvalerr.html - 14k -
<u>Cached</u> - <u>Similar pages</u>

O'Reilly - Safari Books Online - 0738499595 - z/OS WebSphere and ...
The EJB method permission descriptors, located in each EJB **jar** file's **deployment
descriptor**, define the access granted to EJB methods. ...
safari.oreilly.com/0738499595/part07 - <u>Similar pages</u>

Re: [jonas] Cannot read **deployment descriptor** from ejb-**jar**, but ...
startServices : **ear** service started The JOnAS Server 'jonas' version 4.7.4 is ready ....
Cannot read **deployment descriptor** from ejb-**jar**, but actually it is ...
mail-archive.objectweb.org/jonas/2006-08/msg00151.html - 26k - <u>Cached</u> - <u>Similar pages</u>

test plan: EJB Module **validation**
Open the MessageDrivenClient **deployment descriptor** and go to the source page. ... in
module 'MessageDestinationClient.**jar**' and **EAR** 'MessageDestination'. ...
www.eclipse.org/webtools/jst/components/j2ee/scenarios/ejbvalidation_testplan.html - 10k -
<u>Cached</u> - <u>Similar pages</u>

Mailing list archives

This context can contain **deployment descriptor** POJOs > or xml, ... MBean - for each EJB
JAR in **EAR**: - common deployer calls EJBContainer to **validate** a **JAR**, ...
mail-archives.apache.org/.../%3CPine.LNX.4.44.0310040932100.3304-
100000@www.princetongames.org%3E - 12k - Cached - Similar pages

1 2 3 4 5 6 7 8 9 10   **Next**

Free! Get the Google Toolbar. Download Now - About Toolbar

| Google |G▼| | Go ⟨⟩ 🗐 M ▼ 🗐 ▼ | ☆ Bookmarks ▼ 🗐 12 blocked | ᴬᴮᶜ Check ▼ 🗐 AutoFill 🗐 Sen |

deployment descriptor EAR JAR vali | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Google

Validation EJB Test Beans deployment descri| | Search | Advanced Search
Preferences
New! View and manage your web history

Web   Results **1 - 10** of about **74,300** for <u>**Validation** EJB **Test** **Beans** **deployment** **descriptor**</u>. (**0.11** seconds)

docs.sun.com: Sun Java System Application Server Enterprise ...
If the **EJB** component is an entity **bean** with container-managed persistence, ... ParseDD
Test Assertion : **Test** parses the **deployment descriptor** using a SAX ...
docs.sun.com/app/docs/doc/819-2556/6n4rap8q0?a=view - 23k - <u>Cached</u> - <u>Similar pages</u>

Configuring and Managing Enterprise Applications
The document type declaration enables a **validation** tool to read the container ...
Deployment Descriptor for Clock **Bean** --> <ejb-jar> <enterprise-**beans**> ...
www.iona.com/support/docs/iportal_application_server/
3.0/DevelopGuide/html/EntAppMan.html - 27k - <u>Cached</u> - <u>Similar pages</u>

EJB deployment tool
Before you can successfully run your enterprise **beans** on either a **test** or ... Message
format for **EJB validation** By default, before **EJB deployment** code is ...
publib.boulder.ibm.com/infocenter/wasinfo/
v6r0/topic/com.ibm.etools.**ejb**batchdeploy.doc/topics/cejbdeploy.html - 10k -
<u>Cached</u> - <u>Similar pages</u>

Limitations of EJB development tools
If you are modifying CMP entity **beans** in an inheritance hierarchy, you should use the
wizards and interface portions of the **EJB deployment descriptor** editor ...
publib.boulder.ibm.com/infocenter/wsadhelp/
v5r1m2/topic/com.ibm.etools.**ejb**.doc/topics/relimitcurrent.html - 12k -
<u>Cached</u> - <u>Similar pages</u>

ONJava.com -- Developing Your First EJBs, Part 2
Chapter 11 describes how to deploy several **beans** in one **deployment descriptor**, but for
now the TravelAgent and Cabin **EJBs** are deployed separately. ...
www.onjava.com/pub/a/onjava/excerpt/**ejb**4_chap4/index1.html?page=last - 35k -
<u>Cached</u> - <u>Similar pages</u>

WA1557 EJB Programming with Rational Application Developer (RAD ...
Local **EJBs**; **EJB** Application Development; Deploying Enterprise **Beans**; Major
Components ... **EJB Deployment Descriptor**; Add an EJBQL query; Add an EJBQL
query... ...
www.webagesolutions.com/training/websphere/rad7/wa1557/outline.html - 19k -
<u>Cached</u> - <u>Similar pages</u>

EJB Training Classes, Learn Enterprise JavaBeans (EJB) Course
Deploying Enterprise Java **Beans**. Creating and Using the **Deployment Descriptor**; Adding
information to a **Deployment Descriptor**; Using JNDI to Look Up **EJBs** ...
www.open-source-training-courses.com/OnSiteCourses/Enterprise-Java-**Beans**-J2EE-
Course.htm - 22k - <u>Cached</u> - <u>Similar pages</u>

test plan: EJB Module validation
Validation on J2EE modules can be manual or automatic. ... **Test EJB** MDB 2.1 **Validation**
Instructions to Tester ... B. Open the **EJB deployment descriptor**. ...
www.eclipse.org/webtools/jst/components/j2ee/scenarios/**ejbvalidation_test**plan.html - 10k
- <u>Cached</u> - <u>Similar pages</u>

/training/etc Course Outlines

Understand how to develop, **test**, and deploy **EJBs** with RAD. ... Developing Entity **Beans**
in RAD; Adding a CMP Entity **EJB**; **EJB Deployment Descriptor ...**
·www.trainingetc.com/courseCatalog/html/individual/TE1106.html - 19k -
Cached - Similar pages

Generating Primary Key Values in CMP **Beans**

Creating the **EJB** Module. When you generate the CMP **beans** from the database ... the
appropriate changes to the **deployment descriptor** and ejbCreate method. ...
www.net**beans**.org/kb/41/generated-primary-keys.html - 23k - Cached - Similar pages

1 2 3 4 5 6 7 8 9 10   **Next**

Free! Get the Google Toolbar. Download Now - About Toolbar

| Google |G▼| | Go ⊹ 🗐 M ▼ 🖼 ▼ | ☆ Bookmarks ▼ 🖼 12 blocked | ᴬᴮᵧ Check ▼ 🖺 AutoFill 🖙 Sen⊓ |

Validation EJB Test Beans deploym⊓ | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Web Images Video News Maps Gmail more ▼

Google [descriptor XML Meta-inf validator deployment] Search Advanced Search / Preferences
New! View and manage your web history

Web Results 1 - 10 of about 28,500 for descriptor XML Meta-inf validator deployment J2EE. (0.07 seconds)

Common validation errors and solutions
CHKJ1000. Validation failed because the application client file is not valid. Ensure that the deployment descriptor is valid. The application-client.xml ...
publib.boulder.ibm.com/infocenter/rtnhelp/v6r0m0/topic/com.ibm.etools.j2eeapp.doc/topics/rvalerr.html - 13k - Cached - Similar pages

Understanding WebLogic Server Applications and Basic Concepts
See Organizing J2EE Components in a Split Development Directory. The META-INF/application.xml deployment descriptor contains an element for each Web ...
e-docs.bea.com/wls/docs81/programming/concepts.html - 48k - Cached - Similar pages

Packaging and Deploying Connectors
Create an ra.xml deployment descriptor in the META-INF subdirectory and add ... The deployment descriptor ra.xml is defined by Sun Microsystems in the J2EE ...
e-docs.bea.com/wls/docs81/connector/packdepla.html - 27k - Cached - Similar pages
[More results from e-docs.bea.com]

Maven J2EE plugin - Maven J2EE Plug-in Goals
application.xml. A J2EE enterprise application deployment descriptor, which is placed in the META-INF of the resulting ear file. ...
maven.apache.org/maven-1.x/plugins/j2ee/goals.html - 12k - Cached - Similar pages

Deployment Descriptor Editor
J2EE archive. Deployment descriptor file. Directory location. Application client. application-client.xml. /META-INF. EAR. application.xml ...
www.novell.com/documentation/extend52/Docs/help/Director/books/utoolsDeployDescEditor.html - 16k - Cached - Similar pages

4.3. Introduction to Deployment
For application modules, there's typically one standard J2EE deployment descriptor (such as WEB-INF/web.xml or META-INF/ejb-jar.xml) and one Geronimo ...
chariotsolutions.com/geronimo/geronimo-1.0/elements-deployment.html - 19k - Cached - Similar pages

Developing WebLogic Server J2EE Applications
Component deployment descriptors are XML documents that provide information needed to deploy the application in WebLogic Server. The J2EE specifications ...
edocs.bea.com/wls/docs61/programming/environment.html - 80k - Cached - Similar pages

test plan: EAR validation
Result: When the above XML is paste in the header of an J2EE 1.3 EAR the validator puts out a error message as follows: Document type version "1.2" for ...
www.eclipse.org/webtools/jst/components/j2ee/scenarios/ear_validation_testplan.html - 11k - Cached - Similar pages

J2EE Connector Programmer's Guide
Values are 0 for no checking, 1 to validate that the connection is not closed ... This deployment descriptor must be stored with the name META-INF/ra.xml in ...
jonas.objectweb.org/JOnAS_4_7/doc/PG_Connector.html - 17k - Cached - Similar pages

@(#)ejb-jar_2_1.xsds 1.23 08/01/03 DO NOT ALTER OR REMOVE ...
The deployment descriptor must be named "META-INF/ejb-jar.xml" in the EJB's ... apply to all J2EE deployment descriptor elements unless indicated otherwise. ...
java.sun.com/xml/ns/j2ee/ejb-jar_2_1.xsd - 68k - Cached - Similar pages

1 2 3 4 5 6 7 8 9 10   **Next**

Download Google Pack: free essential software for your PC

[descriptor XML Meta-inf validator de]   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google